

Benedict Recycling Pty Ltd

Jan-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

Pollutant	Units of Measure	Frequency	Sampling Method
pH	pH	Special Frquency 1	Probe
TSS	milligrams per litre	Special Frquency 1	Grab sample

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
	<i>pH</i>	<i>pH</i>	<i>6.5 - 8.5</i>	No discharge events during period	
	<i>TSS</i>	<i>mg per litre</i>	<i>50</i>	No discharge events during period	

Benedict Recycling Pty Ltd

Feb-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

Pollutant	Units of Measure	Frequency	Sampling Method
pH	pH	Special Frquency 1	Probe
TSS	milligrams per litre	Special Frquency 1	Grab sample

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
	<i>pH</i>	<i>pH</i>	<i>6.5 - 8.5</i>	<i>No discharge events during period</i>	
	<i>TSS</i>	<i>mg per litre</i>	<i>50</i>	<i>No discharge events during period</i>	

Benedict Recycling Pty Ltd

Mar-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

Pollutant	Units of Measure	Frequency	Sampling Method
pH	pH	Special Frquency 1	Probe
TSS	milligrams per litre	Special Frquency 1	Grab sample

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
	<i>pH</i>	<i>pH</i>	<i>6.5 - 8.5</i>	<i>No discharge events during period</i>	
	<i>TSS</i>	<i>mg per litre</i>	<i>50</i>	<i>No discharge events during period</i>	

Benedict Recycling Pty Ltd

Apr-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

Pollutant	Units of Measure	Frequency	Sampling Method
pH	pH	Special Frquency 1	Probe
TSS	milligrams per litre	Special Frquency 1	Grab sample

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
	<i>pH</i>	<i>pH</i>	<i>6.5 - 8.5</i>	<i>No discharge events during period</i>	
	<i>TSS</i>	<i>mg per litre</i>	<i>50</i>	<i>No discharge events during period</i>	

Benedict Recycling Pty Ltd

May-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

Pollutant	Units of Measure	Frequency	Sampling Method
pH	pH	Special Frquency 1	Probe
TSS	milligrams per litre	Special Frquency 1	Grab sample

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
	<i>pH</i>	<i>pH</i>	<i>6.5 - 8.5</i>	<i>No discharge events during period</i>	
	<i>TSS</i>	<i>mg per litre</i>	<i>50</i>	<i>No discharge events during period</i>	

Benedict Recycling Pty Ltd

Jun-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

Pollutant	Units of Measure	Frequency	Sampling Method
pH	pH	Special Frquency 1	Probe
TSS	milligrams per litre	Special Frquency 1	Grab sample

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
	<i>pH</i>	<i>pH</i>	<i>6.5 - 8.5</i>	<i>No discharge events during period</i>	
	<i>TSS</i>	<i>mg per litre</i>	<i>50</i>	<i>No discharge events during period</i>	

Benedict Recycling Pty Ltd

Jul-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

Pollutant	Units of Measure	Frequency	Sampling Method
pH	pH	Special Frequency 1	Probe
TSS	milligrams per litre	Special Frequency 1	Grab sample

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
	<i>pH</i>	<i>pH</i>	<i>6.5 - 8.5</i>	<i>No discharge events during period</i>	
	<i>TSS</i>	<i>mg per litre</i>	<i>50</i>	<i>No discharge events during period</i>	

Benedict Recycling Pty Ltd

Aug-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

Pollutant	Units of Measure	Frequency	Sampling Method
pH	pH	Special Frquency 1	Probe
TSS	milligrams per litre	Special Frquency 1	Grab sample

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
	<i>pH</i>	<i>pH</i>	<i>6.5 - 8.5</i>	<i>No discharge events during period</i>	
	<i>TSS</i>	<i>mg per litre</i>	<i>50</i>	<i>No discharge events during period</i>	

Benedict Recycling Pty Ltd

Sep-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

Pollutant	Units of Measure	Frequency	Sampling Method
pH	pH	Special Frquency 1	Probe
TSS	milligrams per litre	Special Frquency 1	Grab sample

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
	<i>pH</i>	<i>pH</i>	<i>6.5 - 8.5</i>	<i>No discharge events during period</i>	
	<i>TSS</i>	<i>mg per litre</i>	<i>50</i>	<i>No discharge events during period</i>	

Benedict Recycling Pty Ltd

Oct-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

Pollutant	Units of Measure	Frequency	Sampling Method
pH	pH	Special Frquency 1	Probe
TSS	milligrams per litre	Special Frquency 1	Grab sample

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
	<i>pH</i>	<i>pH</i>	<i>6.5 - 8.5</i>	<i>No discharge events during period</i>	
	<i>TSS</i>	<i>mg per litre</i>	<i>50</i>	<i>No discharge events during period</i>	

Benedict Recycling Pty Ltd

Nov-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

Pollutant	Units of Measure	Frequency	Sampling Method
pH	pH	Special Frquency 1	Probe
TSS	milligrams per litre	Special Frquency 1	Grab sample

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
	<i>pH</i>	<i>pH</i>	<i>6.5 - 8.5</i>	<i>No discharge events during period</i>	
	<i>TSS</i>	<i>mg per litre</i>	<i>50</i>	<i>No discharge events during period</i>	

Benedict Recycling Pty Ltd

Dec-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

Pollutant	Units of Measure	Frequency	Sampling Method
pH	pH	Special Frquency 1	Probe
TSS	milligrams per litre	Special Frquency 1	Grab sample

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
	<i>pH</i>	<i>pH</i>	<i>6.5 - 8.5</i>	<i>No discharge events during period</i>	
	<i>TSS</i>	<i>mg per litre</i>	<i>50</i>	<i>No discharge events during period</i>	